

VITRONITE

Kajaria

INDIA'S NO.1 TILE COMPANY



CATALOGUE GENERAL

Kajaria

INDIA'S NO.1 TILE COMPANY



Aerial view of virat nagar plant, (Rajasthan)



Only tile company in India to be conferred with "superbrand" for the fourteen times in a row.



Awarded Asia's Most promising brand.



Certified member of Indian Green Building Council

WE PURSUED EXCELLENCE, LEADERSHIP FOLLOWED

Kajaria Ceramics is the Largest Manufacturer of Ceramic & Vitrified Tiles in India

The motivating factor remains the zeal to be the best, to be at the top and to achieve the highest echelons of excellence.

The manufacturing units are equipped with cutting edge technology. Intense automation, robotic car application and a zero chance for human errors are just few reasons why Kajaria remains at the top in the industry.

The best in providing tile solutions, Kajaria has since then grown stronger with its hard work, innovation and patronage from our discerning customers.

AWARDS & ACCOLADES

- ISO 9001:2015 :Certification for Implementing Quality Management System Standards.
- ISO 14001:2015 : Certification for Implementing Environmental Management System Standards.
- ISO 22000:2018 : Certification for Implementing Food Safety Management System Standards.
- ISO 50001:2018 : Certification for Implementing Energy Management System Standards.
- ISO SA 8000:2014 : Certification for Implementing Social Accountability Management System Standards.
- ISO 45001:2018 : Certification for Implementing Occupational Health and Safety Management System Standards.

DOUBLE CHARGED VITRIFIED TILES



INDEX

SOLITAIRE PLUS 800X1600 MM	08-11
SOLITAIRE PLUS 1000X1000 MM	12-17
SOLITAIRE 800X800 MM	18-25
TROPICANA 800X800 MM	26-27
SAPPHIRE 600X1200 MM	28-41
DOUBLE CHARGE 600X600 MM	42-47
CLASSIC 600X600 MM	48-49
AMAZON 600X600 MM	50-51

STEP & RISER



STEPSTONE 300x1520 MM (STEP) 200x1520 MM (RISER)	132-133
STEPSTONE 300x1200 MM (STEP) 200x1200 MM (RISER)	134-137

FULL BODY VITRIFIED TILES



STONEGRES PLUS 800X1600 MM 54-57

ORNNATE 600x1200 MM 58-73

STONEGRES PLUS 600x1200 MM 74-79

STONE ART 600x1200 MM 80-115

TERRAZZO 600x1200 MM 116-119

STONEGRES NEO 600x1200 MM 120-121

STONEGRES NEO 600x600 MM 122-123

STONE ART 600x600 MM 124-127

STONE GRES 600x600 MM 128-129

INDEX

SOLUBLE SALT VITRIFIED TILES



ELEGANT SOLUBLE SALT 600X600 MM 140-141

DOUBLE CHARGE

POLISHED VITRIFIED TILES

Kajaria Double Charge Tiles in high-gloss, super-sheen nano finish elevate every space with a breathtaking visual impact. Their bold, luxurious appearance reflects true grandeur, while the durable double-charge technology ensures excellent stain resistance and easy maintenance.

Sizes Available:

800x1600 mm

1000x1000 mm

800x800 mm

600x1200 mm

600x600 mm

Finish:

Gloss / Nano Polished





VITRONITE

IDEAL FOR
URBAN
CHOICE

SOLITAIRE PLUS

800x1600 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 16802



K 16801



K 16802



K 16804

SOLITAIRE PLUS

800x1600 mm

SUPER GLOSSY


Double Charge Polished Vitrified Tiles




K 16810



K 16805



K 16806



K 16810

SOLITAIRE PLUS

1000x1000 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 10104



K 10102



K 10104

SOLITAIRE PLUS


1000x1000 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 10105



K 10106





K 10105

SOLITAIRE PLUS

1000x1000 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 10107



K 10107



K 10108

SOLITAIRE

800x800 mm

SUPER GLOSSY


Double Charge Polished Vitrified Tiles




K 8405



K 8401



K 8405



K 8501

SOLITAIRE
800x800 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles




K 8402



K 8402



K 8409



K 8502

SOLITAIRE

800x800 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 8503



K 8504





K 8503

SOLITAIRE


800x800 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 8506



K 8800

SPECIAL PLAIN COLOUR





K 8506

TROPICANA


800x800 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 8307



K 8301



K 8306



K 8307

SAPPHIRE


600x1200 mm

SUPER GLOSSY


Double Charge Polished Vitrified Tiles



K 12601



K 12602



K 12604



K 12605





K 12602

SAPPHIRE

600x1200 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles




K 12608



K 12606



K 12608



K 12609



K 12611

SAPPHIRE


600x1200 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles




K 12612



K 12614



K 12615



K 12618





K 12618

SAPPHIRE

600x1200 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles




K 12623



K 12621



K 12623



K 12626



K 12627

SAPPHIRE


600x1200 mm

SUPER GLOSSY


Double Charge Polished Vitrified Tiles




K 12630




K 12628



K 12629



K 12630



K 12631

SAPPHIRE

600x1200 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles




K 12635




K 12633



K 12634



K 12635



K 12636

SAPPHIRE

600x1200 mm

SUPER GLOSSY


Double Charge Polished Vitrified Tiles




K 12647



K 12642



K 12646



K 12647

DOUBLE CHARGE

600x600 mm

SUPER GLOSSY

Polished Vitrified Tiles



K 6207



K 6032



K 6201



K 6203




K 6204*




K 6205



K 6206



K 6207



K 6209*

* Only for North and East Zone

DOUBLE CHARGE

600x600 mm

SUPER GLOSSY

Polished Vitrified Tiles




K 6217



K 6210*




K 6211




K 6212



K 6213*



K 6214*




K 6217



K 6218



K 6219



K 6223*

* Only for North and East Zone

DOUBLE CHARGE

600x600 mm

SUPER GLOSSY

Polished Vitrified Tiles



K 6301*



K 6302*



K 6306



K 6345




K 6346



K 6347



K 6348



K 7000

SPECIAL PLAIN COLOUR

* Only for North and East Zone



K 6348

CLASSIC

600x600 mm

SUPER GLOSSY

Double Charge Polished Vitrified Tiles



K 6353



K 6351 *



K 6352 *



K 6353 *



K 6354 *



K 6355 *



K 6356 *



K 6357 *



* Only for North and East Zone

AMAZON
600x600 mm

SUPER GLOSSY

Polished Italian Vitrified Tiles



K 6411



K 6401




K 6402



K 6403




K 6404




K 6405




K 6406



K 6407



K 6411




K 6413

FULL BODY

VITRIFIED TILES

The full-body collection reproduces the effects of the finest stone, combining the strength and durability of vitrified tiles. These full-body tiles introduce an aesthetic culture that enhances both indoor and outdoor spaces to a whole new level. These random vitrified tiles demonstrate superb resilience to harsh weather, making them ideal for high-traffic areas.



Sizes Available:

800x1600 mm

600x1200 mm

600x600 mm

Finish:

Polished / Matt





VITRONITE

THE
AESTHETIC
CULTURE

STONE GRES PLUS

800x1600 mm

Full Body Vitrified Tiles




K 16852



K 16851

MATT | POLISHED



K 16852

MATT | POLISHED

STONE GRES PLUS


800x1600 mm

Full Body Vitrified Tiles



K 16853

MATT | POLISHED



K 16857

POLISHED



K 16853 & K 16857

ORNINATE

DIGITAL FULLBODY
COLLECTION



PIONEERING RELIEF IN DIGITAL FULLBODY



Crafted through a multi-stage process, Ornnate Collection tiles offer a combination of strength, texture, and design. A robust fullbody structure ensures long-term durability and resistance to wear.

03 Digital Print 02 Relief Effect 01 Fullbody



DISSECTING THE CRAFT: LAYER BY LAYER

Advanced relief punching adds intricate, easy-to-clean textures, and high-definition digital printing creates vivid, realistic finishes that last. The result is a tile that stays beautiful and strong in any setting.



ORNNATE

600x1200 mm

MATT


Digital Full Body Vitrified Tiles



BLACK MARQUINA & BLACK MARQUINA LINER



BLACK MARQUINA



BLACK MARQUINA LINER

ORNNATE

600x1200 mm

MATT


Digital Full Body Vitrified Tiles




CEMENTO BARLEY



CEMENTO CREMA



CEMENTO BARLEY



CEMENTO GREY


ORNNATE

600x1200 mm

Digital Full Body Vitrified Tiles



FLORITO GREY



FLORITO CREMA



FLORITO BARLEY





FLORITO CREMA

ORNNATE

600x1200 mm

Digital Full Body Vitrified Tiles



IMPERIAL CREMA



IMPERIAL BARLEY



IMPERIAL GREY





IMPERIAL BARLEY

ORNATE

600x1200 mm

Digital Full Body Vitrified Tiles



LIMESTONE CREMA



LIMESTONE BARLEY



LIMESTONE GREY





LIMESTONE BARLEY


ORNATE

600x1200 mm


Digital Full Body Vitrified Tiles




STATUARIO WHITE & STATUARIO WHITE LINER




MARQUINA NERO



STATUARIO WHITE



STATUARIO WHITE LINER



STATUARIO PEARL


ORNNATE

600x1200 mm

Digital Full Body Vitrified Tiles



SIENA CREMA



SIENA BARLEY



SIENA GREY





SIENA BARLEY


STONEGRES PLUS

600x1200 mm


Full Body Vitrified Tiles



K 12650 - POLISHED/MATT



K 12651 - POLISHED/MATT



K 12652 - POLISHED/MATT



K 12653 - POLISHED/MATT





K 12651


STONEGRES PLUS

600x1200 mm

Full Body Vitrified Tiles



K 12656



K 12654 - POLISHED/MATT



K 12655 - POLISHED/MATT



K 12656 - POLISHED/MATT



K 12657 - POLISHED/MATT

STONEGRES PLUS

600x1200 mm

Full Body Vitrified Tiles



K 12658 - POLISHED/MATT




K 12659 - POLISHED/MATT




K 12751 - POLISHED/MATT



K 12752 - POLISHED/MATT



K 12753 - POLISHED/MATT



K 12754 - POLISHED/MATT



K 12753

STONE ART

600x1200 mm


Full Body Vitrified Tiles




K 12660 (WHITE) - GEOMETRIC & K 12660 (WHITE) - PLAIN




K 12660 (WHITE) - PLAIN



K 12660 (WHITE) - GEOMETRIC



K 12660 (WHITE) - SLATE



K 12660 (WHITE) - ROCK

STONE ART


600x1200 mm

MATT


Full Body Vitrified Tiles




K 12660 (WHITE) - LINER




K 12660 (WHITE) - LINER



K 12660 (WHITE) - MAGIC



K 12660 (WHITE) - PENTAGON



K 12660 (WHITE) - HEXAGON

STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12661 (CREMA) - PLAIN




K 12661 (CREMA) - GEOMETRIC



K 12661 (CREMA) - SLATE



K 12661 (CREMA) - ROCK





K 12661 (CREMA) - SLATE

STONE ART

600x1200 mm

Full Body Vitrified Tiles




K 12661 (CREMA) - LINER



K 12661 (CREMA) - MAGIC



K 12661 (CREMA) - PENTAGON



K 12661 (CREMA) - HEXAGON



K 12661 (CREMA) - PENTAGON & K 12661 (CREMA) - PLAIN


STONE ART

600x1200 mm

Full Body Vitrified Tiles




K 12662 (DARK GREY) - PLAIN



K 12662 (DARK GREY) - GEOMETRIC



K 12662 (DARK GREY) - SLATE



K 12662 (DARK GREY) - ROCK





K 12662 (DARK GREY) - ROCK

STONE ART

600x1200 mm

MATT


Full Body Vitrified Tiles




K 12662 (DARK GREY) - LINER



K 12662 (DARK GREY) - MAGIC



K 12662 (DARK GREY) - PENTAGON



K 12662 (DARK GREY) - HEXAGON



K 12662 (DARK GREY) - MAGIC & K 12662 (DARK GREY) - PLAIN

STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12663 (BROWN) - PLAIN



K 12663 (BROWN) - GEOMETRIC



K 12663 (BROWN) - SLATE



K 12663 (BROWN) - ROCK





K 12663 (BROWN) - GEOMETRIC & K 12663 (BROWN) - PLAIN

STONE ART


600x1200 mm

MATT

Full Body Vitrified Tiles



K 12663 (BROWN) - MAGIC & K 12663 (BROWN) - PLAIN



K 12663 (BROWN) - LINER



K 12663 (BROWN) - MAGIC



K 12663 (BROWN) - PENTAGON



K 12663 (BROWN) - HEXAGON

STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12664 (BARLEY) - PLAIN



K 12664 (BARLEY) - GEOMETRIC



K 12664 (BARLEY) - SLATE



K 12664 (BARLEY) - ROCK






K 12664 (BARLEY) - LINER & K 12664 (BARLEY) - PLAIN

STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12664 (BARLEY) - LINER



K 12664 (BARLEY) - MAGIC



K 12664 (BARLEY) - PENTAGON



K 12664 (BARLEY) - HEXAGON




K 12664 (BARLEY) - HEXAGON


STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12665 (GREY) - PLAIN



K 12665 (GREY) - GEOMETRIC



K 12665 (GREY) - SLATE



K 12665 (GREY) - ROCK





K 12665 (GREY) - GEOMETRIC

STONE ART

600x1200 mm


Full Body Vitrified Tiles



K 12665 (GREY) - LINER



K 12665 (GREY) - MAGIC



K 12665 (GREY) - PENTAGON



K 12665 (GREY) - HEXAGON



K 12665 (GREY) - PENTAGON & K 12665 (GREY) - PLAIN


STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12666 (BLACK) - PLAIN



K 12666 (BLACK) - GEOMETRIC



K 12666 (BLACK) - SLATE



K 12666 (BLACK) - ROCK





K 12666 (BLACK) - PLAIN

STONE ART

600x1200 mm

MATT

Full Body Vitrified Tiles




K 12666 (BLACK) - LINER



K 12666 (BLACK) - LINER



K 12666 (BLACK) - MAGIC



K 12666 (BLACK) - PENTAGON



K 12666 (BLACK) - HEXAGON

STONE ART

600x1200 mm

MATT

Full Body Vitrified Tiles




K 12667 (JAISALEMER) - SLATE



K 12667 (JAISALEMER) - PLAIN



K 12667 (JAISALEMER) - GEOMETRIC



K 12667 (JAISALEMER) - SLATE



K 12667 (JAISALEMER) - ROCK


STONE ART

600x1200 mm


Full Body Vitrified Tiles




K 12667 (JAISALEMER) - LINER




K 12667 (JAISALEMER) - MAGIC



K 12667 (JAISALEMER) - PENTAGON



K 12667 (JAISALEMER) - HEXAGON



K 12667 (JAISALEMER) - MAGIC & K 12667 (JAISALEMER) - PLAIN


STONE ART

600x1200 mm

Full Body Vitrified Tiles



K 12668 (KOTA GREEN) - PLAIN




K 12668 (KOTA GREEN) - GEOMETRIC



K 12668 (KOTA GREEN) - SLATE



K 12668 (KOTA GREEN) - ROCK





K 12668 (KOTA GREEN) - ROCK

STONE ART

600x1200 mm

MATT

Full Body Vitrified Tiles



K 12668 (KOTA GREEN) - LINER



K 12668 (KOTA GREEN) - MAGIC



K 12668 (KOTA GREEN) - PENTAGON



K 12668 (KOTA GREEN) - HEXAGON



K 12668 (KOTA GREEN) - HEXAGON & K 12668 (KOTA GREEN) - ROCK


TERRAZZO

600x1200 mm


Full Body Vitrified Tiles



K 12671 - POLISHED/MATT




K 12672 - POLISHED/MATT



K 12681 - POLISHED/MATT



K 12684 - POLISHED/MATT





K 12671 & K 12672

TERRAZZO

600x1200 mm


Full Body Vitrified Tiles



K 12685 - POLISHED/MATT



K 12686 - POLISHED/MATT



K 12687 - POLISHED/MATT





K 12686

STONEGRES NEO

600x1200 mm

Full Body Vitrified Tiles



K 12691

MATT / POLISHED



K 12692

MATT / POLISHED



K 12693

MATT / POLISHED



K 12694

MATT / POLISHED



K 12695

MATT / POLISHED



K 12696

POLISHED



12696

STONEGRES NEO

600x600 mm

Full Body Vitrified Tiles



K 6702



K 6700 - POLISHED / MATT



K 6701 - POLISHED / MATT




K 6702 - POLISHED / MATT



K 6704 - POLISHED / MATT




K 6705 - POLISHED / MATT



K 6706 - POLISHED / MATT



K 6707* - POLISHED / MATT



K 6708* - POLISHED / MATT



K 6709* - POLISHED / MATT

* Only for North and East Zone

STONE ART


600x600 mm

MATT

Full Body Vitrified Tiles



K 6503 (BROWN) - PLAIN




K 6501 (CREMA) - PLAIN



K 6501 (CREMA) - ROCK



K 6502 (DARK GREY) - PLAIN



K 6502 (DARK GREY) - ROCK



K 6503 (BROWN) - PLAIN



K 6503 (BROWN) - ROCK



STONE ART

600x600 mm


Full Body Vitrified Tiles



K 6508 (KOTA GREEN) - ROCK




K 6504 (BARLEY) - PLAIN




K 6504 (BARLEY) - ROCK



K 6506 (BLACK) - PLAIN



K 6506 (BLACK) - ROCK



K 6508 (KOTA GREEN) - ROCK



K 6508 (KOTA GREEN) - PLAIN


STONEGRES

600x600 mm


Full Body Vitrified Tiles




K 6601 - POLISHED / MATT




K 6602 - POLISHED / MATT



K 6603 - POLISHED / MATT



K 6604 - POLISHED / MATT



K 6605 - POLISHED / MATT



K 6601



K 6605

STEP STONE

FULL BODY VITRIFIED STEPS

Stairs and staircases are not defined by their functionality alone. These practical units are also interesting from a design perspective as well-appointed stairs are today a defining feature in houses, rooms or hallways. Kajaria Step Stone Vitrified Steps and riser comes with different colours and shades, suits to your interior and exterior spaces.

Sizes Available:

STEP - 300x1520 mm
RISER - 200x1520 mm

STEP - 300x1200 mm
RISER - 200x1200 mm

Finish:

Polished / Matt



READY TO INSTALL STEPS AND RISERS

STEP STONE

READY TO INSTALL VITRIFIED STEPS



SELF EMBOSSED TREAD LINES



ANTI SKID SURFACE



BULL NOSE FINISH



THICKNESS 12 MM (STEPS)



WATER ABSORPTION <0.05%



FULL BODY VITRIFIED STEPS



EASY LAYING

Highly durable, ideal for heavy traffic and commercial areas, Indoor & Outdoor.

Easy and speedy installation. Say goodbye to cumbersome cutting and finishing on site.



Embossed Tread Lines Provide extra grip for higher safety near step edge. Unique full bull nose edges

Provides higher strength and durability as desired in big size slabs. An assurance to replace natural stones in a confident way. Highest abrasion resistance

Ensures 10 times superior surface protection against wear and tear over natural stones.

Available in 8 beautiful Salt & Pepper shades. Suits the building theme, décor and desired contrast.


Sizes available



STEP STONE

STEP - 300x1520 mm | RISER - 200x1520 mm

Full Body Vitrified Tiles




K 15351 | STEP

300x1520MM




K 15251 | RISER

200x1520MM



K 15352 | STEP

300x1520MM



K 15252 | RISER

200x1520MM




K 15352 - STEP, K 15252 - RISER



K 15353 | STEP

300x1520MM




K 15253 | RISER

200x1520MM



K 15354 | STEP

300x1520MM



K 15254 | RISER

200x1520MM



K 15355 | STEP

300x1520MM



K 15255 | RISER

200x1520MM



K 15356 | STEP

300x1520MM



K 15256 | RISER

200x1520MM

Landing tiles
are available
in the size of
605x1520 mm

STEP STONE

STEP - 300x1200 mm | RISER - 200x1200 mm


Full Body Vitrified Tiles




K 12351 | STEP 300x1200MM



K 12251 | RISER 200x1200MM




K 12651 | LANDING AREA TILE 600x1200MM



K 12353 | STEP 300x1200MM




K 12253 | RISER 200x1200MM




K 12653 | LANDING AREA TILE 600x1200MM




K 12352 | STEP 300x1200MM




K 12252 | RISER 200x1200MM




K 12652 | LANDING AREA TILE 600x1200MM



K 12354 | STEP 300x1200MM



K 12254 | RISER 200x1200MM




K 12654 | LANDING AREA TILE 600x1200MM



K 12355 | STEP

300x1200MM



K 12255 | RISER

200x1200MM



K 12655 | LANDING AREA TILE

600x1200MM




K 12355 - STEP, K 12255 - RISER & K 12655 - LANDING AREA

STEP STONE

STEP - 300x1200 mm | RISER - 200x1200 mm

Full Body Vitrified Tiles



K 12356 | STEP

300x1200MM




K 12256 | RISER

200x1200MM

K 12656 | LANDING AREA TILE

600x1200MM



K 12356 - STEP, K 12256 - RISER & K 12656 - LANDING AREA




K 12357 | STEP

300x1200MM




K 12257 | RISER

200x1200MM



K 12657 | LANDING AREA TILE

600x1200MM



K 12358 | STEP

300x1200MM




K 12258 | RISER

200x1200MM



K 12658 | LANDING AREA TILE

600x1200MM



K 12357 - STEP & K 12657 - RISER

ELEGANT SOLUBLE SALT

POLISHED VITRIFIED TILES

An exceptional range of soluble salt tiles that exude the attractiveness and splendor of the spaces. The range of tiles is light in weight yet sturdy, available in varied elegant and fancy textures. The Elegant Soluble Salt collection is available in different styles to fit the needs of traditional as well as modern spaces. This range brings together the sophisticated look of high gloss finish combined with superior functionality. The unmatched physical and chemical properties coupled with matchless designs make these tiles suitable for all settings.

Sizes Available:
600x600 mm

Finish:
Gloss





VITRONITE


REDISCOVER
ELEGANCE
AND STYLE

ELEGANT SOLUBLE SALT

SUPER GLOSSY

600x600 mm

Polished Vitrified Tiles



K 6000



K 6002



K 6008



K 6010



K 6014




K 6018



K 6019



K 6107



MARBELLA



DYNA



THUNDERSTORM



CICILIA



WOODENZA



CRACK




THUNDERSTORM

Time to switch


from the Old cement method to
Gresbond tile adhesives for a perfect tile finish









Old Cement Method



Gresbond Adhesives



Benefits of using Gresbond Tile Adhesives

-  Water Resistant
-  Rapid Surface Readiness in Under 24 Hours
-  Thermal Shock Resistance
-  Stains and Seepage Resistant
-  Suitable for Use on All Surfaces*
-  Seamless Bond Between Tile and Substrate



VX-1

FOR INTERNAL FLOORS, WALLS & EXTERNAL FLOORS

Features

- For wet & dry area
- Highly polymer modified
- Extended open time
- Non-slip adhesive
- Low VOC



EX-5

FOR EXTERNAL WALLS & FLOORS

Features

- Formulated for elevations
- For wet & dry area
- Extended open time
- Flexible
- Low VOC



LX-7

FOR INTERNAL AND EXTERNAL FLOORS & WALLS

Features

- Formulated for large slabs & stones
- Flexible
- Extended open time
- For vibration area
- Superior bond strength
- Low VOC





Epoxy grouts for perfect tile finish



Available Colour Shades

Snow White	Sandalwood	Brick Red
Crema	Laurel Green	Chocolate
Almondo	Aqua	Coffee Bean
Light Taupe	Sea Blue	Light Grey
Champagne	Turquoise Blue	Dark Grey
Autumn Yellow	Navy Blue	Black

Benefits of Epoxy Grouts





Technical Specifications - Digital Fullbody Vitrified Tiles

S. No.	Properties	Group Bla - ISO 13006/EN-176	Group Bla - IS : 15622:2017	Kajaria Value	Test According to
Dimensions & Surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 5%	± 4%	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in surface flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
6.	Surface quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Physical Characteristics					
7.	Scratch hardness of surface Mohs scale	Required	Min. 6	Min. 6	EN-101/IS:13630 (P-13)
8.	Water absorption	≤0.5%	Average 0.08, Individual maximum, 0.1%	≤0.05%	ISO 10545:3/IS: 13630 (P-2)
9.	Moisture expansion	Nil	0.02 Max	Nil	ISO 10545:10
10.	Deep abrasion	Max 175 mm ²	Max 140 mm ²	<140 mm ²	ISO 10545:6/IS:13630 (P-12)
Mechanical Characteristics					
11.	Breaking strength	1300 N	Min 1300	≥ 2000 N	ISO 10545:4/IS: 13630 (P-6)
12.	Modulus of rupture	≥ 35 N/mm ²	Average 35, Individual minimum 32	≥ 35 N/mm ²	ISO 10545:4/IS: 13630 (P-6)
Safety Characteristics					
13.	Density	Required	Min 2.20 gm/cc	2.34 gm/cc	DIN 51082/IS: 13630 (P-2)
14.	Skid resistance (Friction coefficient)	≥ 0.4	-	≥0.4	ISO 10545:17
Thermo Photo Characteristics					
15.	Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
16.	Co efficient of thermal expansion	9x10 ⁻⁶ K ⁻¹ Max	6x10 ⁻⁶ K ⁻¹ Max	<6x10 ⁻⁶ K ⁻¹ Max	ISO 10545:8/IS:13630 (P-4)
17.	Frost resistance	Resistant	Required	Resistant	ISO 10545:12/IS: 13630 (P-10)
18.	Color resistance to UV light	Resistant	-	Resistant	DIN 51094
Chemical Characteristics					
19.	Stain resistance	Min Class 3	Required	Min conform to class 4	ISO 10545:14
20.	Chemical resistance HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	Min Class - UB	Required	Conforms to class - UA	ISO 10545:13/IS:13630 (P-7)
21.	Chemical resistance LOW CONCENTRATION ACIDS & ALKALIES	Min Class - ULB	Required	Conforms to class - ULA	ISO 10545:13/IS:13630 (P-7)
22.	Chemical resistance HIGH CONCENTRATION ACIDS & ALKALIES	Min Class - UHB	Required	Conforms to class - UHA	ISO 10545:13/IS:13630 (P-7)

Packing Details

S. No.	Dimension (mm)	No. of Tiles / Box	Coverage Area
1.	600x1200mm	2 pcs.	1.44 sq. mtr.

*Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

Resistance to acids & alkalies (Exception Hydrofluoric Acids & its Compounds)

1. Colors in the catalog are as accurate as the printing process allows.

2. Sizes mentioned in the catalog are the nominal sizes only.

3. Conforming to ISO requirements, technical specifications for Kajaria tiles are applicable only for 1st quality tiles.

4. Please inspect all tiles prior to installation; the company will not entertain complaints once tiles are laid / fixed.

5. For better laying, please follow the instructions on the packaging box.



TECHNICAL SPECIFICATION POLISHED VITRIFIED TILES

S. No.	PROPERTY	GROUP BIA ISO 13006/EN-176	GROUP BIA IS :15622:2017	KAJARIA VALUE	TEST ACCORDING TO
Dimensions & surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 5%	± 4%	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
6.	Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
7.	Glossiness with Nano	Declared by manufacturer	-	Minimum 90	ISO 2813 (Glossy meter)
Physical characteristics					
8.	Scratch Hardness of surface Moh's scale	Required	Min. 5	Min. 5	EN-101/IS:13630 (P-13)
9.	Water absorption	≤ 0.5%	Averages 0.08, Individual maximum 0.1%	<0.5%	ISO 10545:3/IS: 13630 (P-2)
10.	Moisture Expansion	Nil	0.02, Max	Nil	ISO 10545:10
11.	Deep Abrasion	max 175 mm ³	Max 140 mm ³	≤ 140mm ³	ISO 10545:6/IS:13630 (P-12)
Mechanical characteristics					
12.	Breaking strength	1300 N	Min 1300 N	≥ 1700 N	ISO 10545:4/IS: 13630 (P-6)
13.	Modulus of rupture	>35 N/mm ²	Average 35, Individual minimum 32	≥ 40 N/mm ²	ISO 10545:4/IS: 13630 (P-6)
Safety characteristics					
14.	Density	Required	Min 2.20 gm/cc	2.34 gm/cc	DIN 51082/IS: 13630 (P-2)
Thermo photo characteristics					
15.	Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
16.	Co efficient of thermal expansion	9×10 ⁻⁶ /K ^o Max	6×10 ⁻⁶ /K ^o Max	<6×10 ⁻⁶ /K ^o Max	ISO 10545:8/IS:13630 (P-4)
17.	Frost resistance	Resistant	Required	Resistant	ISO 10545:12/IS: 13630 (P-10)
18.	Color Resistance to UV light	Resistant	-	Resistant	DIN 51094
Chemical characteristics characteristics					
19.	Stain Resistance	Min class-3	Required	Min conform to class-4*	ISO 10545:14
20.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	Min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
21.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	Min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
22.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	Min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

PACKING DETAILS

S. No.	Dimensions (mm)	No. of tiles / box	Coverage Area
1.	1000x1000	2 Pcs.	2.00 Sq. Mtr.
2.	800x1600	2 Pcs.	2.56 Sq. Mtr.
3.	600x1200	2 Pcs.	1.44 Sq. Mtr.
4.	800x800	3 Pcs.	1.92 Sq. Mtr.
4.	600x600	4 Pcs.	1.44 Sq. Mtr.

* Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

Resistance to acids & alkalies (Exception Hydrofluoric Acids & its Compounds)

1. Colours in the catalog are as accurate as printing process allows

2. Sizes mentioned in the catalog are the nominal sizes only.

3. Conforming to ISO requirements, technical specifications for Kajarja tiles are applicable only for 1st quality tiles.

4. Please inspect all tiles prior to installation; company will not entertain complaints, once tiles are laid / fixed.

5. For better laying, please follow the instructions on the packaging box.



TECHNICAL SPECIFICATION - FULL BODY VITRIFIED TILES

S. No.	Property	Group Bla - ISO 13006/EN-176	Group Bla IS : 15622:2017	Our Value	Test According to
Dimensions & surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 5%	± 4%	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
6.	Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Physical characteristics					
7.	Scratch Hardness of surface Moh's scale	Required	Min. 5	Min. 5	EN-101/IS:13630 (P-13)
8.	Water absorption	≤0.5%	Averages 0.08, Individual maximum, 0.1%	≤0.05%	ISO 10545:3/IS: 13630 (P-2)
9.	Moisture Expansion	Nil	0.02 Max	Nil	ISO 10545:10
10.	Deep Abrasion	max 175 mm ³	max 140 mm ³	≤140 mm ³	ISO 10545:6/IS:13630 (P-12)
Mechanical characteristics					
11.	Breaking strength	1300 N	Min 1300	≥ 2000N	ISO 10545:4/IS: 13630 (P-6)
12.	Modulus of rupture	≥ 35 N/mm ²	Average 35, Individual minimum 32	≥ 35 N/mm ²	ISO 10545:4/IS: 13630 (P-6)
Safety characteristics					
Density					
13.	Density	Required	Min 2.20 gm/cc	2.34 gm/cc	DIN 51082/IS: 13630 (P-2)
14.	Skid resistance (Friction coefficient)	≥ 0.4	-	≥ 0.4	ISO 10545:17
Thermo photo characteristics					
15.	Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
16.	Co efficient of thermal expansion	9×10 ⁻⁶ /K ² Max	6×10 ⁻⁶ /K ² Max	<6×10 ⁻⁶ /K ² Max	ISO 10545:8/IS:13630 (P-4)
17.	Frost resistance	Resistant	Required	Resistant	ISO 10545:12/IS: 13630 (P-10)
18.	Color Resistance to UV light	Resistant	-	Resistant	DIN 51094
Chemical characteristics					
characteristics					
19.	Stain Resistance	Min Class 3	Required	Min conform to class 4	ISO 10545:14
20.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA	ISO 10545:13/IS:13630 (P-7)
21.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA	ISO 10545:13/IS:13630 (P-7)
22.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA	ISO 10545:13/IS:13630 (P-7)

PACKING DETAILS

S. No.	Dimensions (mm)	No. of tiles / box	Coverage Area
1.	800x1600	2 Pcs,	2,56 Sq. Mtr.
2.	600x1200	2 Pcs,	1,44 Sq. Mtr.
3.	600x600	4 Pcs,	1,44 Sq. Mtr.

* Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

Resistance to acids & alkalis (Exception Hydrofluoric Acids & its Compounds)

1. Colours in the catalog are as accurate as printing process allows

2. Sizes mentioned in the catalog are the nominal sizes only.

3. Conforming to ISO requirements, technical specifications for Kajaria tiles are applicable only for 1st quality tiles.

4. Please inspect all tiles prior to installation; company will not entertain complaints, once tiles are laid / fixed.

5. For better laying, please follow the instructions on the packaging box.

KAJARIA EXPERIENCE CENTERS

NORTH

CHANDIGARH :

Plot No. 66, 1st & 4th Floor, Industrial Area Phase-2, Chandigarh – 160002
M: +91 8448188918, +91 9878827262,
+91 9779021253

JAIPUR :

Ground Floor, Nidhi Kamal Tower, Plot No 37-38 B, Barwara House, Ajmer Road, Rajasthan, Jaipur - 302006,
M: +91 9799495766, +91 9001094841

VARANASI :

Arazi No.-678/1, House No.-S-2/656E, Circuit House Road, Sikroul, Bhojubeer, Near Dressland Store Varanasi -221002
T: 0542-2500483 M: +91 9005092402

DEHRADUN :

International Trade Tower, 1 Old Survey Road, Near Cross Road Mall, Dehradun, Uttarakhand – 248001
M: +91 9760040499, +91 7897557333

LUDHIANA :

U.G.F., Sandhu Tower, II-B-3369, Gurdev Nagar, Ferozepur Road, Punjab, Ludhiana – 141001
M: +91 9779021270, +91 9779021251

JAMMU :

Marble Market, Near Samsung Plaza, Satyam Road Trikuta Nagar, Jammu-180012
M: +91 7827993481

LUCKNOW :

2nd Floor, Plot No. 146, Ayodhya Road, Above Kalyan Jewelers, Near Bhootnath Metro Station, Uttar Pradesh, Lucknow – 226016
M: +91 97932 99660, +91 9936195455,
+91 9793565551

SOUTH

BANGALORE :

Farah Icon, Site No - 119, 1st & 2nd Floor, Opp. New Passport Kendra, Lal Bagh Road, Bangalore 560027
M: +91 9008402952, +91 9008402922,
+91 9008402956

COIMBATORE :

1st Floor, 57, Cowley Brown Road, Near Central Library, R.S.Puram Coimbatore, Tamil Nadu -641002
T: 0422-4350801/03

TRIVANDRUM :

87/3, Shining Tower, Opposite Sainik School, Kazhakkoottam, Thiruvananthapuram, Kerala, 695585,
T: 0471-2422777
M: +91 8527988335, +91 8527571666

CHENNAI :

Fagun Chambers, Old No: 7, New No: 26A/2, 1st Floor, Ethiraj Salai, Egmore Chennai, Tamil Nadu – 600008
T: 044-42691094/ 28264990

HYDERABAD :

Vamsiram Joyti Ridge Building, 2nd Floor, Road No 36, Jublihills Extension, Madhapur, Hyderabad 500033
M: +91 7680000890, +91 8287905851

CALICUT :

104, Prism Arcade, Thondayad Bypass, Palazhi, Kozhikode, Kerala, 673016
M.: +91 92894 51276, +91 94477 34329

KOCHI :

Building No.32/375 , Creators Haven, Near St. Jude Church, Edappally Pukkattupady Road, Unichira, Kochi, Kerala – 682033,
M: +91 9447718391, T: 0484-2912000

CENTRAL

RAIPUR :

Opposite Bank Of Baroda, Beside Tata Motors, Deopuri, New Dhamtari Road, Raipur, Chhattisgarh 492015
M: +91 81033 66905, +91 99815 28088

INDORE : (Regional Office)

S.A. Tower, 1st Floor, 13/3 New Palasia, Opp. Arya Samaj Building, Indore - 452001,
M: +91 9752593462, +91 9630025576

WEST

MUMBAI :

Basement, Ground & 1st Floor, Suraksha Ace, Near Chakala Metro Station, Opposite Kotak Bank, Vijay Nagar Colony, J B Nagar, Andheri East, Mumbai, Maharashtra 400059,
M: +91 8968586560, +91 9004679563

PUNE :

2nd , 3rd & 6th Floor, 601-A, DSK Gandharv Heights, Ganeshkhind Road, Shivajinagar, Pune, Maharashtra 411005,
M: +91 7757000568, +91 9730088497

AHMEDABAD : (Regional Office)

Office No. 506-507, Majestic Square, Opp. Shaleen Hospital, Science City Road, Sola Ahmedabad -380060
M: +91 9998804440

EAST

KOLKATA : (Regional Office)

Tirupati Plaza, 2nd Floor, 74/2, Acharya Jagdish Chandra Bose Road Kolkata - 700016, West Bengal
T: +91 9007011022, +91 9007011019,
+91 9007062814

PATNA : (Regional Office)

'ANCHAL', House No. - 15, Ground Floor Justice Narayan Path, Nageswar Colony, Patna - 800001, Bihar
T: +91 9334791993, +91 9771458963,
+91 7781005449

Kajaria

INDIA'S NO.1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: 011-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.:0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

[facebook.com/KajariaCeramicsLimited](https://www.facebook.com/KajariaCeramicsLimited) twitter.com/KajariaCeramic [instagram.com/kajaria.ceramics](https://www.instagram.com/kajaria.ceramics), Tollfree : 1800-309-309

Download Kajaria App  