

**25** CELEBRATING  
YEARS  
EST. - 2000

**AGL**<sup>®</sup>  
Tiles · Marble · Quartz · Bathware

Premium  
*ka* Pappa



Porcelain Meets  
Unrivalled *Grandeur*

Asian Granito India Ltd.

www.aglasiangranito.com / Toll Free - 1800 123 3455  
Phone - +91 79 66125500/698 / E-Mail - info@aglasiangranito.com

ONE SCAN AWAY TO EXPLORE MORE ABOUT US



SCAN CODE TO  
DOWNLOAD  
AGL TILES APP



SCAN CODE TO  
DOWNLOAD  
CATALOGUE



SCAN TO FIND  
EXCLUSIVE  
STORE

JUNE-2025



ALL-IN-ONE  
LUXURY  
WALL & FLOOR

V4

**TUFFGUARD & PORCELAIN TILES**

**600x600mm | 397x397mm | 300x300mm**

## ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1663 Crores (US \$200 Million) in FY23-24, making us a giant in the space décor industry. In the short span of 24 years, we are one of India's largest groups, with a global footprint across 100 countries.

Today, AGL has enhanced its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.

## INDIA'S LEADING TILES, MARBLE, QUARTZ & BATHWARE BRAND



\* Including JVs and CMUs \*\* Includes contract labour

Global presence in over <b>100</b> Countries	<b>NO.1</b> Exporter among listed ceramic companies of India	One of the <b>TOP 4</b> Listed Ceramic tiles companies in India	<b>54.5</b> Million sq.mtrs Production Capacity per Annum*	<b>14</b> Manufacturing Units*
<b>400+</b> Field Forces	<b>4000+</b> Designs	<b>30+</b> Different sizes	<b>277</b> Exclusive Showrooms Pan India	<b>13</b> Display centres
<b>18000+</b> Touch point	<b>750+</b> Efficient Dealers and Distributors	* Including Jvs and CMUs		

## ADVANCE TECHNOLOGIES & MODERN R&D LAB



Welcome to AGL's state-of-the-art world of tile, marble, and quartz production, where cutting-edge technology meets the artistry of design. Our ultra-modern 14 manufacturing units, fully equipped with advanced Research & Development labs, stand as a testament to our 25-year legacy of innovation and consumer-centric craftsmanship.

### ULTRA MODERN TECHNOLOGY SET-UP IN ASSOCIATION WITH SACMI



Our tile production is powered by revolutionary technologies like Continua+ Sacmi and the latest multi-color digital technology, ensuring precision and vibrant designs that captivate the eye. The modern long and wide kilns deliver flawless firing, while Keda Polishing technologies and the Auto Recto Planner guarantee impeccable planarity and a premium finish, transforming tiles into works of art that elevate any space.



For our marble and quartz offerings, we push boundaries with avant-garde engineering. Our plants harness vacuum compression technology alongside advanced cutting and polishing systems to craft engineered marble that exudes sophistication and durability. The quartz production line, driven by Veegoo's highly efficient technology and enhanced with Robotec design systems, brings forth unique, nature-inspired patterns that blend seamless functionality with striking aesthetics.



At AGL, every product reflects our relentless pursuit of excellence, merging innovation with timeless design. Step into a world where technology crafts elegance, and let us redefine your spaces with unparalleled luxury.

# AWARDS AND RECOGNITION

Achievements of trusted and innovative brand in the ceramic industry

Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.



MSME AWARDS -2025



Recognised as one of the Best Brand by The Economic Times -2023



ET INDUSTRY LEADERS 2021



AGL is now MEGA BRAND Recognition by ARCHITECTURE + DESIGN - 2016


# CERTIFICATIONS



ISO 9001 : 2015



ISO 9001 : 2015




BIS CERTIFIED



CE CERTIFIED




CERTIFIED TWO STAR EXPORT HOUSE



GRIHA CERTIFIED



IIID CERTIFIED



AWARDED FOR BRAND LEADERSHIP



IGBC CERTIFIED

## MANY NATIONAL & INTERNATIONAL PROJECTS

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:



Project : Cleveland Cycle Werks Showroom

## PRESTIGIOUS PROJECTS

### Government Projects



### Banks



### Corporates



### Builders



### Hospital



### Automobiles



### Telecom



### Multiplexes




### Hotels



### Apparel



### Eatery Brands



and many more ...



## OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.




AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU  
 COCHIN | HYDERABAD | JAIPUR | DELHI | KOLKATA

## TOUGH AND RESILIENT WITH TIMELESS AESTHETIC ELEGANCE







AGL Tuffguard and Porcelain collection are the blend of creativity, trend, luxurious touch and feel, add on with safety features. It is decorated with natural textures and values to maintain very easily in daily life. It has vast applications like bathroom, living room, balcony, bedroom and lot more, wherever you want to transform space.



Available in modern formats like 600x600mm, 397x397mm, and 300x300mm. They are manufactured using most advance technology and developed by highly experienced research team to elevate your space aesthetics to higher class. It has bunch of features like stain and skid resistant, high abrasion resistant and much more to stay impressive life long.

### TILE FEATURES

- |  |   |  |  |
|--|---|--|--|
|  HIGH DURABILITY  |  HYGIENIC SURFACES |  LOW WATER ABSORPTION |  NANO POLISHED    |
|  FLOOR TILES      |  FIRE RESISTANCE   |  EASY TO CLEAN        |  FROST RESISTANCE |
|  STAIN RESISTANCE |  EASY TO INSTALL   |  SCRATCH RESISTANCE   |  ECO FRIENDLY     |



ANDESROCK CREMA



ANDESROCK BEIGE



ANDESROCK CREMA DÉCOR



ANDESROCK GRIS




ANDESROCK GRIGIO



ANDESROCK GRIS DÉCOR



HARMONY GREY



HARMONY BLACK



HARMONY GREY DECOR



HARMONY BEIGE




HARMONY SAND



HARMONY BEIGE DECOR






CALCATTÀ NATURAL




URBAN ROYAL GRIGIO



CALCATTÀ NATURAL DECOR




STARTEK BIANCO




STARTEK NERO




STARTEK NERO DECOR



AVON GRIS



AVON GRIGIO



AVON GRIGIO DECOR



DRIFT GRIS




DRIFT GRIGIO



DRIFT GRIS DECOR





SUPERIO GRIS




SUPERIO GRIS DECOR



SUPERIO TAN DECOR



AZULATE AQUA



AZULATE BLUE



AZULATE BLUE ART




ARTFLOR GRIS DECOR



ARTFLOR BEIGE DECOR



ATRIUM GRIS DECOR



ARTFLOR GRIS



ARTFLOR BEIGE



ARTFLOR GRIS



**NEW**



COCONINO BRIGHT



SCAN FOR VIRTUAL

**NEW**



COCONINO BLUE



SCAN FOR VIRTUAL



LINIOR CREMA DECOR



MTO

**NEW**



COCONINO LIGHT



SCAN FOR VIRTUAL

**NEW**



COCONINO MOCHA



SCAN FOR VIRTUAL



LINIOR CREMA



MTO

**NEW**



ALTAIE BUFF



SCAN FOR VIRTUAL

**NEW**



ALTAIE CHOCO



SCAN FOR VIRTUAL

**NEW**



ALTAIE GRIS



SCAN FOR VIRTUAL



SIERRA CREMA



MTA



BIG TERRAZZO BIANCO



MTO



BIG TERRAZZO CREMA



MTO





IBERIAN ART DÉCOR 1



IBERIAN ART DÉCOR 2



IBERIAN CREMA



IBERIAN TAUPE




IBERIAN CHOCO



IBERIAN GREY



IBERIAN SUNNY



IBERIAN AZULE



IBERIAN AZULE DÉCOR



VIBES BEIGE



VIBES BROWN




IBERIAN BIANCO DÉCOR






ZESTA BIANCO



ZESTA NERO



ZESTA GRIGIO




TRAPO LIGHT



TRAPO DARK



ITALIO BEIGE




AZULATO CREMA



ANGEL LIGHT



ANGEL DARK



SOFIA MARBLE



**MTA**- Make to Available  
This product is immediately available to order.

**MTO**- Make to Order  
This product is made on order only.




SWITZ WHITE



GRIS




CEMENTO



SWITZ IVORY



BLUE



KOTA GREEN





PREMIO CREMA



PREMIO GRIS



PREMIO GRIGIO



PREMIO CHOCO



PREMIO MAPLE



PREMIO COTTO



PREMIO SLATE



PREMIO VERDE



SANDSTONE BEIGE



SANDSTONE GREY

**MTA**- Make to Available  
This product is immediately available to order.

**MTO**- Make to Order  
This product is made on order only.

- Matt Finish
- Floor Tiles
- 4-6% Water Absorption
- Scratch Resistant
- Abrasion Resistant
- Satin Resistant
- Anti skid Surface





UNICO AQUA



UNICO AZUL



UNICO CREMA



UNICO BEIGE



UNICO CHOCO



UNICO NERO



UNICO BROWN



GILT SAND



**MTA**- Make to Available  
This product is immediately available to order.

**MTO**- Make to Order  
This product is made on order only.

- Matt Finish
- Floor Tiles
- 4-6% Water Absorption
- Scratch Resistant
- Abrasion Resistant
- Satin Resistant
- Anti skid Surface







APULIA ALMOND



APULIA WENGE



APULIA NERO



VEDIC BROWN




VEDIC ALMOND



VEDIC GRIS



ALEGRE WALNUT



SAPELE CREMA



SAPELE SILVER



ALEGRE CHOCO



SAPELE RUST



SAPELE NERO





NEOSTICK BEIGE



CHISEL WOOD




KENWOOD MAPLE



GREENHEART ALMOND



GREENHEART BROWN



GREENHEART WENGE



NEOSTICK BEIGE DECOR




CHISEL WOOD DECOR



KENWOOD BROWN




ZIGZIG PINE



FORESTA CHOCO



CHEVRON APPLE



CHEVRON OAK



BOSCHI BROWN



COCOA WENGE



PRESTIGE OAK





MUSIC WOOD



KETHRON WOOD



LAMINATO DECOR



MONTE MAPLE



MONTE BEIGE




ALMONDI WOOD



DREAM WOOD



ALASKA WOOD



RHYTHM 11



STRIP WOOD




MAHAGONY WOOD



WINDSOR BROWN DECOR



MATRIX WOOD



PARETE WOOD




WOOD FUSION





HARLEY CLOUDY



HARLEY GRIGIO



HARLEY BEIGE



STONZA BRIGHT



STONZA SUNNY




ANTONE WOOD BROWN



ESPERIO BIANCO



ESPERIO BEIGE



ACCURA CREMA



ESPERIO GRIGIO




ESPERIO BROWN



ESPERIO BEIGE




PLAIN COLOUR




5031

PLAIN COLOUR




IVORY

PRINT




5051

PLAIN COLOUR



IVORY

PRINT



COSMOS WHITE

PRINT




COSMOS IVORY

PRINT




5055

PRINT




5063

PRINT



5064

PRINT



COSMOS GREY

PRINT



COSMOS BLUE

DARK



COSMOS DARK BLUE

RUSTIC



TITAN CARAMEL

RUSTIC



DOLCE BEIGE

TUFFGUARD



SANDSTONE GOLD

PLAIN COLOUR



WHITE

PRINT



TERRAZO GREY

PRINT



TERRAZO BEIGE

TUFFGUARD



HARMONY BEIGE

TUFFGUARD



HARMONY GREY

RUSTIC



STEEL GREY

PRINT




PROVENZA BEIGE

PRINT



PROVENZA GREY

PRINT



MISTY BROWN

RUSTIC




STEEL BROWN

PRINT




5029

300x300mm PRINT



NUVO BEIGE

PRINT




IMPERIAL BLUE

PRINT



IMPERIAL GREY

PRINT



IMPERIAL PINK

## Technical Specification



**FASTTRACK**  
series

EXPERIENCE  
**HIGH ABRASION**  
RESISTANT TILES



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIIa 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
-----------------	--	---	-----------	-------------

### (A) DIMENSION & SURFACE QUALITY

Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1

### (B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	4.0-5.5%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 27 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI III (Glossy) PEI IV & IV*(Matt)	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9X10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 5	EN 101 IS 13630 Part-13

### (C) CHEMICAL PROPERTIES

Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x600mm	9.5 mm	27.5 kg.	04 pcs.	1.44m <sup>2</sup>

## Technical Specification

**Ceramic** | UNRECTIFIED  
FLOOR TILES



Tiles · Marble · Quartz · Bathware

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIIa 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
-----------------	--	---	-----------	-------------

### (A) DIMENSION & SURFACE QUALITY

Deviation In Length & Width	± 0.6%, ± 2.0 mm	± 0.4%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.5%, ± 1.5 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%, ± 2.0 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, ± 2.0 mm	± 0.5%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1

### (B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 800 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13

### (C) CHEMICAL PROPERTIES

Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
300x300mm (Unrectified)	7.2 mm	13.1 kg.	10 pcs.	0.90m <sup>2</sup>

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr B1la 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr B1la 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.25%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1000 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13

<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
397x397mm	8.0 mm	13.1 kg.	05 pcs.	0.79m <sup>2</sup>
397x397mm	8.0 mm	16.0 kg	06 pcs.	0.94m <sup>2</sup>

Notes & Recommendation

UNDERSTANDING ICONS



APPLICATION



NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
  - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
  - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
  - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
  - Company's liability is limited on material that has not been laid.
  - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
  - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
  - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•		•			
SODIUM HYPO (Chlorite (NaOCL))												•								•	
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

\*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.

## CORPORATE OFFICE & BRANCHES

### DISPLAY CENTRE & OFFICE

#### GUJARAT

■ **Display Centre - Ahmedabad**  
**AGL Luxury Tile Arcade**  
 S.G. Highway, Nr. Gota Cross Road,  
 Beside Gota over bridge, Ahmedabad - 382481.  
 Mobile: 98258 03713 / 99099 29920  
 E-mail: asianworld.amd@aglasiangranito.com

■ **AGL Export House - Morbi**  
 Ch-5, Eden Ceramic City,  
 Opp.Honest Hotel, National Highway,  
 Lalpar Road Morbi - 363642.  
 Mobile: 99799 90591  
 E-mail: exportmorbi@aglasiangranito.com

■ **AGL Showroom**  
**Future Ceramic Private Limited**  
 Servey No.-84P1, 84P2, 85/1, 85/2P1, 85/2P2  
 B/h Harikrupa Papers LLP,  
 8-A NH, At Post Gala - Morbi -363642  
 Mobile: 93166 32661  
 E-mail: display@futureceramic.co.in

■ **Factory Display Centre - Morbi**  
**(Sanitaryware & Faucets)**  
**AGL Sanitaryware Pvt. Ltd.**  
 Survey No. 153 P1, 153 P2, 154 P2, 8A National  
 Highway, B/h. Bahadurgadh Bus Stand,  
 At. Bahadurgadh, Morbi-363642. Gujarat, India.  
 Mobile: 93166 32908  
 E-mail: export34@aglasiangranito.com

#### MAHARASHTRA

■ **AGL Display Centre - Mumbai**  
 A- 402, Citi Point, Nr. kohinoor Hotel,  
 Opp. ICICI Bank, J.B. Nagar,  
 Chakala Metro Station, Andheri (East),  
 Mumbai - 400 059. Mobile: 93214 95229  
 E-mail: mumbaishowroom@aglasiangranito.com

■ **AGL Display Centre - Mumbai**  
**(Marblex & Grestek)**  
 Gala Impecca, Gr. Floor, Mathuradas VasANJI Rd,  
 Next to Caurtyard Marriott, J. B. Nagar,  
 Kurla-Andheri Road, Andheri (East) - 400059  
 Mobile : 7600098595

■ **AGL Display Centre - Pune**  
 Capital Square, 1st & 2nd floor, Plot No.5,  
 Nr. Laxminarayan Sweets, Industrial Estate,  
 Mukund Nagar, Pune - 411037 Maharashtra.  
 Mobile : 93717 65505

#### TELANGANA

■ **AGL Display Centre - Hyderabad**  
 202 2<sup>nd</sup> Floor & 302 3<sup>rd</sup> Floor, Kurve Elite,  
 Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,  
 Opp. Krishe Meadows, Hyderabad-500073  
 Mobile: 99099 90434, 96420 11146  
 E-mail: hydshowroom1@aglasiangranito.com,  
 hydshowroom@aglasiangranito.com

#### TAMILNADU

■ **AGL Display Centre - Chennai**  
 Bascon Futura SV IT Park, 2nd Floor, 56-L,  
 Venkatanarayana Rd, Parthasarathi Puram,  
 T. Nagar, Chennai - 600017, Tamil Nadu  
 Mobile: 98408 47193

#### KARNATAKA

■ **AGL Display Centre - Bangalore**  
**Asian Granito India Ltd., Region Office**  
 No. 37/17, 31/18, Brahmananda Court, Opp.  
 R Kannada News Channel, S.R. Nagar, Lalbagh  
 main road, Bangalore - 560027. Karnataka  
 Mobile: 81605 21204  
 E-mail: bangloreshowroom@aglasiangranito.com

#### KERALA

■ **AGL Display Centre - Kochi**  
 No.51/2910 D2 Adjacent To Bread World,  
 Thykoodam Bridge Service Road,  
 Vyttila Kochi - 682019  
 Mobile: 78618 09641  
 E-mail: cochinshowroom@aglasiangranito.com

#### WEST BENGAL

■ **AGL Display Centre - Kolkata**  
 5th Floor, Office No. 5A, PS SOLARIS Building,  
 113/H, Opp. Flaming Hospital. Matheswartala Rd.  
 Topsia. Kolkata 7000046.  
 Mobile: 85840 65565  
 E-mail: kolkattashowroom@aglasiangranito.com

#### UTTAR PRADESH

■ **AGL Display Centre - Noida**  
 F-15, Ground Floor, Sector 8,  
 Gautam Buddha Nagar,  
 Noida - 201301 Uttar Pradesh  
 Mobile: 85111 30500, 98258 03736  
 E-mail: noidashowroom@aglasiangranito.com



Scan for  
360° Tour

### OFFICE

#### GUJARAT

■ **Corp. Office - Ahmedabad**  
**ASIAN GRANITO INDIA LTD.**  
 202, Dev Arc, Opp. Iskcon Temple,  
 S. G. Highway, Ahmedabad - 380 015  
 Gujarat (INDIA)  
 Phone: +91 79 66125500/698  
 Toll Free: 1800 123 3455  
 E-mail: info@aglasiangranito.com

■ **AGL Office - Morbi**  
 B - 26, Parshwanath Complex-1  
 Opp. kuber Cinema, 8-A National Highway,  
 Lalpar Road, Morbi - 363642.  
 Mobile: 9825802077  
 E-mail: aglmorbi@aglasiangranito.com

#### RAJASTHAN

■ **AGL Office - Jaipur**  
 Lower Ground, D-5, Vaishali Nagar,  
 Jaipur, Rajasthan - 302021  
 Mobile: 80085 03660 / 93144 39930

#### MADHYA PRADESH

■ **AGL Office - Indore**  
 3rd Floor, Plot No 101, WB Scheme No. 94,  
 Sector - B, Opp. HDFC Bank,  
 Nr. Bombay Hospital, Indore - MP - 452010  
 Mobile: 99092 62533 / 73140 06670  
 E-mail: acctindore@aglasiangranito.com

#### TAMIL NADU

■ **AGL Office - Trichy**  
 Mark Diamond Residency, No-36,  
 V O C Road, cantonment. Trichy - 620001  
 Mobile: 99406 00262

■ **AGL Office - Coimbatore**  
 No .70, Dr. Alagappa Road, Tatabad.  
 Coimbatore - 641 012  
 Mobile: 90161 13976

#### PUNJAB

■ **AGL Office - Chandigarh**  
 CCC Chandighar City Centre, Block A 3rd Floor,  
 Soho 325, Vip Road, Near Metro Zirakpur,  
 Chandigarh Punjab-140603  
 Mobile : 93163 13880, 99882 22471

